LIFE CLEAN









SHORTER CONTACT TIME

Shorter contact time than drying time means no re-application. For general areas 5 minutes contact time applies, this may vary for specefic sufaces. Other disinfectants with a longer duration of action (e.g., 30 minutes) may be needed to be re-applied to sustain the effect.

EFFECTIVE AGAINST BIOFILM

LifeClean penetrates the biofilm and eliminates the microbes. Regular use of LifeClean will prevent the formation of biofilm.

MORE GENTLE TO USERS, ANIMALS AND THE ENVIRONMENT

LifeClean is effective at very low concentrations. Reacts quickly on contact with the surface, the gas diffuses immediately and does not leave hazardous residues and toxic compounds.

DOES NOT DEVELOP RESISTANCE

RNA is destroyed by altering the genetic coding, DNA is destroyed and prevents multiplication and resistance development.



LIFECLEAN HAS AN EFFECT ON A WIDE RANGE OF MICROBES, INCLUDING:

SPORES

- Renibacterium Salmoninarum (Bacterial kidney disease)
- Carnobacterium piscicola (Carnobacterium maltaromaticum)
- · Aeromonas Salmonicida (Furunculosis)
- Francisella sp (Francisellosis)
- · Vibrio Salmonicida (Cold water vibriosis)
- Listeria monocytogenes
- · Listonella (vibrio) Angiularum (Classic vibriosis)
- Salmonella
- · Moritella Viscosa (Winter ulcer)
- Escherichia coli
- Flavo bacteria (Bacterial Coldwater disease)
- · Yersinia Ruckeri (Redmouth)
- Tenacibaculum ssp. (Snout wound / Mouth rot)
- Staphylococcus Aureus spp
- Enterococcus spp
- Pseudomonas Aeruginosa
- Mycobacterium avium

- · Clostridium Difficile
- · Bascillus Subtilies
- Necrotizing enteritis (Clostridium perfringens)

PARASITES

Sea lice, Lepeophtheirus Salmonis,
Coccidia spp (inexogenous parasite stages)

FUNGI

- Candida Albicans
- · Aspergillus Niger

BACTERIA

VIRUS

- Viral Hemorrhagic Septicemia Virus (Viral Hemorrhagic septicemia)
- · Infectious Hematopietic Necrosis
- · Aquatic Orthomyxovirus (Infectious Salmon Anemia, ILA)
- Nodavirus (Viral Encephalo and Retinopathy VER and Viral Nerve
- Necrosis VNN)
- · Salmonid alphavirus (Pancreatic disease, PD)
- Piscine Reovirus (Heart and Skeletal Muscle Inflammation, HSMB)

- Salmon Gill Poxvirus (Salmon pox/Gill disease)
- Lumpfish Flavi Virus, LFV
- Parvovirus
- Norovirus
- Avian influenza virus, (H10N7)
- · IPN Virus (Infectious Pancreatic Necrosis)
- Coronaviridae
- Picornaviridae

PRODUCTS

LIFECLEAN AGRICULTURE DISINFECTANT (RTU)

25 l......16700-25 200 l........16700-200 1000 l16700-200



LIFECLEAN INDUSTRY DISINFECTANT^C (CONCENTRATE)

25 I.......16700-25-C 200 I........16700-200-C 1000 I16700-200-C





HEFT AB

Head Office Uddevalla Gustavsberg 413 451 91 Uddevalla - Sweden info@heftinternational.com





